

BIOENERGY Solar Photovoltaic Panels stand for quality, durability and most importantly, high-performance. Our experience, capacity of research, continuing development and improvement have turned us into a company recognized in the sector by the high value offered to our clients.

Highly transparent solar glass of 3.2 mm. and anodized aluminum frame for a perfect stability and a long duration. Sheeting at constant temperature provides a perfect cure of the module avoiding the formation of bubbles. The distance between the edge of the frame and the cell circuitry is optimized to ensure both waterproof sealing and maximum module size reduction.



Electrical Characteristics

	210	215	220	225	230
Reference	P110210	P110215	P110220	P110225	P110230
Maximum power (Wp)	210 Wp	215 Wp	220 Wp	225 Wp	230 Wp
Max. power voltage (Vmax)	27.60	27.90	28.20	28.60	29.10
Max. power current (Imax)	7.60	7.70	7.80	7.85	7.90
Open circuit voltage (Voc)	33.00	33.30	33.70	33.90	34.40
Short circuit voltage (Isc)	8.48	8.60	8.70	8.85	8.90
Module Eff. (%)	14.3	14.6	15.0	15.3	15.6
Operating temperature	-40°C + 85°C				
Maximum system voltage	1000 V(IEC)				
Power tolerance (%)	0-3%				

Mechanical Characteristics

Solar cells	Monocrystalline
Dimensions	1482 x 992 x 40 mm
Weight	17 kg
No. Cells	54 cells (156 x 156 mm) configured geometrically for 6 x 9 matrix connected in series
Output cables length	900 mm
Cable cross section	4 mm ²
Construction	Front: High transmission 3.2 mm tempered glass. Low Iron.
Junction box	3 bypasses
Connectors	MC4 compatible

Temperature Coefficients

Nominal operating cell temperature (NOCT)	47 °C ± 2°C
Temperature coefficient of power (P _{MAX})	-0.43 W/°C
Temperature coefficient (VOC)	-0.31 V/°C
Temperature coefficient (ISC)	0.03 A/°C
Hail diameter 23 m/s	Up to 25mm
Continuous wind pressure	<5400 Pa

The 10 years product warranty surpasses the warranty required by law.

The performance warranty is for 25 years: After 10 years, modules still produce a minimum 90% of their nominal performance. After 25 years modules still produce a minimum 80% or their nominal performance.

Dimensions

