

# **Q.ANTUM SOLAR MODULE**

With its top performance and completely black design the new Q.PEAK BLK-G4.1 is the ideal solution for all residential rooftop applications thanks to its innovative cell technology Q.ANTUM. The world-record cell design was developed to achieve the best performance under real conditions – even with low radiation intensity and on clear, hot summer days.



# **LOW ELECTRICITY GENERATION COSTS**

Higher yield per surface area and lower BOS costs thanks to higher power classes and an efficiency rate of up to 18.3%.



#### INNOVATIVE ALL-WEATHER TECHNOLOGY

Optimal yields, whatever the weather with excellent low-light and temperature behavior.



# **ENDURING HIGH PERFORMANCE**

Long-term yield security with Anti LID Technology, Anti PID Technology¹, Hot-Spot Protect and Traceable Quality Tra.Q™.



# **EXTREME WEATHER RATING**

High-tech aluminum alloy frame, certified for high snow (5400 Pa) and wind loads (4000 Pa) regarding IEC.



# **MAXIMUM COST REDUCTIONS**

Up to 10% lower logistics costs due to higher module capacity per box.



#### A RELIABLE INVESTMENT

Inclusive 12-year product warranty and 25-year linear performance guarantee<sup>2</sup>.



### THE IDEAL SOLUTION FOR:







www.VDEinfo.com ID. 40032587







- <sup>1</sup> APT test conditions according to IEC/TS 62804-1:2015, method B (-1500 V, 168 h)
- <sup>2</sup> See data sheet on rear for further information.



CTRICAL CHARACTERISTICS						
ER CLASS			285	290	295	300
NUM PERFORMANCE AT STANDARD TE	ST CONDITIONS, STC1	(POWER TOLERA	NCE +5 W / -0 W)			
Power at MPP <sup>1</sup>	$P_{MPP}$	[W]	285	290	295	300
Short Circuit Current <sup>1</sup>	I <sub>sc</sub>	[A]	9.56	9.63	9.70	9.77
Open Circuit Voltage¹	V <sub>oc</sub>	[V]	38.91	38.19	39.48	39.76
Current at MPP	I <sub>MPP</sub>	[A]	8.98	9.07	9.17	9.26
Voltage at MPP	$\mathbf{V}_{MPP}$	[V]	31.73	31.96	32.19	32.41
Efficiency <sup>1</sup>	η	[%]	≥17.1	≥17.4	≥17.7	≥18.0
MUM PERFORMANCE AT NORMAL OPER	RATING CONDITIONS, N	IMOT <sup>2</sup>				
Power at MPP	P <sub>MPP</sub>	[W]	212.7	216.4	220.1	223.9
Short Circuit Current	I <sub>sc</sub>	[A]	7.70	7.76	7.82	7.87
Open Circuit Voltage	V <sub>oc</sub>	[V]	36.60	36.87	37.14	37.41
Current at MPP	I <sub>MPP</sub>	[A]	7.04	7.12	7.20	7.28
Voltage at MPP	V <sub>MPP</sub>	[V]	30.19	30.39	30.58	30.76
	ER CLASS  MUM PERFORMANCE AT STANDARD TE  Power at MPP¹  Short Circuit Current¹  Open Circuit Voltage¹  Current at MPP  Voltage at MPP  Efficiency¹  MUM PERFORMANCE AT NORMAL OPER  Power at MPP  Short Circuit Current  Open Circuit Voltage  Current at MPP	ER CLASS  MUM PERFORMANCE AT STANDARD TEST CONDITIONS, STC¹  Power at MPP¹ PMPP  Short Circuit Current¹ Isc Open Circuit Voltage¹ Voc Current at MPP Voltage at MPP VMPP  Efficiency¹ n  MUM PERFORMANCE AT NORMAL OPERATING CONDITIONS, N Power at MPP PMPP  Short Circuit Current Isc Open Circuit Voltage Voc Current at MPP IMPP	ER CLASS  MUM PERFORMANCE AT STANDARD TEST CONDITIONS, STC¹ (POWER TOLERA  Power at MPP¹ P <sub>MPP</sub> [W]  Short Circuit Current¹ I <sub>SC</sub> [A]  Open Circuit Voltage¹ V <sub>OC</sub> [V]  Current at MPP I <sub>MPP</sub> [A]  Voltage at MPP V <sub>MPP</sub> [V]  Efficiency¹ η [%]  MUM PERFORMANCE AT NORMAL OPERATING CONDITIONS, NMOT²  Power at MPP P <sub>MPP</sub> [W]  Short Circuit Current I <sub>SC</sub> [A]  Open Circuit Voltage V <sub>OC</sub> [V]  Current at MPP I <sub>MPP</sub> [A]	ER CLASS 285  MUM PERFORMANCE AT STANDARD TEST CONDITIONS, STC¹ (POWER TOLERANCE $+5$ W $/ - 0$ W)  Power at MPP¹ PMPP [W] 285  Short Circuit Current¹ Isc [A] 9.56  Open Circuit Voltage¹ Voc [V] 38.91  Current at MPP IMPP [A] 8.98  Voltage at MPP VMPP [V] 31.73  Efficiency¹ $\eta$ [%] $\geq 17.1$ MUM PERFORMANCE AT NORMAL OPERATING CONDITIONS, NMOT²  Power at MPP PMPP [W] 212.7  Short Circuit Current Isc [A] 7.70  Open Circuit Voltage Voc [V] 36.60  Current at MPP IMPP [A] 7.04	ER CLASS 290  MUM PERFORMANCE AT STANDARD TEST CONDITIONS, STC¹ (POWER TOLERANCE +5 W / −0 W)  Power at MPP¹ PMPP [W] 285 290  Short Circuit Current¹ Isc [A] 9.56 9.63  Open Circuit Voltage¹ Voc [V] 38.91 38.19  Current at MPP IMPP [A] 8.98 9.07  Voltage at MPP VMPP [V] 31.73 31.96  Efficiency¹ $\eta$ [%] ≥17.1 ≥17.4  MUM PERFORMANCE AT NORMAL OPERATING CONDITIONS, NMOT²  Power at MPP PMPP [W] 212.7 216.4  Short Circuit Current Isc [A] 7.70 7.76  Open Circuit Voltage Voc [V] 36.60 36.87  Current at MPP IMPP [A] 7.04 7.12	ER CLASS  MUM PERFORMANCE AT STANDARD TEST CONDITIONS, STC¹ (POWER TOLERANCE +5W / −0W)  Power at MPP¹ P <sub>MPP</sub> [W] 285 290 295  Short Circuit Current¹ I <sub>SC</sub> [A] 9.56 9.63 9.70  Open Circuit Voltage¹ V <sub>OC</sub> [V] 38.91 38.19 39.48  Current at MPP I <sub>MPP</sub> [A] 8.98 9.07 9.17  Voltage at MPP V <sub>MPP</sub> [V] 31.73 31.96 32.19  Efficiency¹ η [%] ≥17.1 ≥17.4 ≥17.7  MUM PERFORMANCE AT NORMAL OPERATING CONDITIONS, NMOT²  Power at MPP P <sub>MPP</sub> [W] 212.7 216.4 220.1  Short Circuit Current I <sub>SC</sub> [A] 7.70 7.76 7.82  Open Circuit Voltage V <sub>OC</sub> [V] 36.60 36.87 37.14  Current at MPP I <sub>MPP</sub> [A] 7.04 7.12 7.20


Q CELLS PERFORMANCE WARRANTY

# To be seen that the highest production capacity in 2014 (as at: September 2014) 98 — Industry standard for linear warranties: — Industry standard for l

At least 98 % of nominal power during first year. Thereafter max. 0.6 % degradation per year. At least 92.6 % of nominal power up to 10 years. At least 83.6 % of nominal power up to 25 years.

All data within measurement tolerances. Full warranties in accordance with the warranty terms of the Q CELLS sales organisation of your respective country.

# PERFORMANCE AT LOW IRRADIANCE



Typical module performance under low irradiance conditions in comparison to STC conditions (25 °C,  $1000\,W/m^2$ ).

Temperature Coefficient of $I_{\text{sc}}$	α	[%/K]	+0.04	Temperature Coefficient of $\mathbf{V}_{\text{oc}}$	β	[%/K]	-0.28
Temperature Coefficient of Pupp	v	[%/K]	-0.39	Normal Module Operating Temperature	NMOT	[°F]	109 +5 4 (43 +3°C)

PROPERTIES FOR SYSTEM DESIGN					
Maximum System Voltage V <sub>sys</sub>	[ <b>V</b> ]	1000 (IEC) / 1000 (UL)	Safety Class	II	
Maximum Series Fuse Rating	[A DC]	20	Fire Rating	C (IEC) / TYPE 1 (UL)	
Max. Design Load, Push / Pull <sup>2</sup>	[lbs/ft²]	75 (3600 Pa) / 55 (2667 Pa)	Permitted module temperature on continuous duty	-40°F up to +185°F (-40°C up to +85°C)	
Max. Test Load, Push / Pull <sup>2</sup>	[lbs/ft²]	113 (5400 Pa) / 84 (4000 Pa)	<sup>2</sup> see installation manual		

QUALIFICATIONS AND CERTIFICATES	PACKAGING INFORMATION	PACKAGING INFORMATION		
UL 1703; VDE Quality Tested; CE-compliant;	Number of Modules per Pallet	32		
IEC 61215:2016; IEC 61730:2016, application class A	Number of Pallets per 53' Container	30		
	Number of Pallets per 40' Container	26		
C Certified US UL 1703	Pallet Dimensions ( $L \times W \times H$ )	$68.7  \text{in} \times 45.3  \text{in} \times 46.1  \text{in}$ (1745 mm × 1150 mm × 1170 mm)		
(254141)	Pallet Weight	1396 lbs (633 kg)		

**NOTE:** Installation instructions must be followed. See the installation and operating manual or contact our technical service department for further information on approved installation and use of this product.

# Hanwha Q CELLS America Inc.