

GEL122350AG


NON-SPILLABLE RECHARGEABLE SEALED LEAD ACID BATTERY




■ FEATURES

- Design with flat plate, GEL electrolyte and AGM separator technology;
- GEL electrolyte inside of battery keeps uniformity condition, battery is with excellent cycle life;
- GEL electrolyte has huge thermal capacity, thermal runaway phenomena never occur;
- High strength ABS material for container & lid;
- Wide temperature scope of application (-15⁴⁵°C).
 Best temperature of application (20±5°C);
- No leaking, safe and reliable;
- Standing or lying down for using, convenient to transport and install;
- Low self-discharge rate.

DIMENSION



TERMINAL



■ SPECIFICATIONS

Nominal Voltage	12V	Capacity	C ₁₀	235Ah (10.5V, at 25℃)	
Nominal Capacity (C ₁₀)	235Ah (10.5V, at 25°C)		C_5	188Ah (10.5V, at 25℃)	
Dimension	Length 547mm		C ₃	176.25Ah (10.5V, at 25℃)	
	Width 275mm		C_1	129.25Ah (10.2V, at 25℃)	
	Height 242mm	Internal Resistance		Approx. 4.5 m Ω (25°C)	
	Total Height 242mm	Max Short-duration Discharge Curr			4700A(25°C)
Weight	Approx. 77.00kg	Terminal		RT-47	



GEL122350AG

NON-SPILLABLE RECHARGEABLE SEALED LEAD ACID BATTERY

■ CHARGE

Using Mode	Charging Voltage	Temperature Compensation	Max Charging Current	
Standby Use			- 70.5A	
Cyclic Use				

STORAGE


• Batteries should be stored in dry and clean warehouse which has good air exchange system. Batteries should avoid direct sunlight. Batteries should not be near to heat (such as radiator, the distance should more than 1m). Batteries should avoid any toxic gas and organic solvent.


• When the ambient temperature is less than 25°C, the longest storage life is 6 months. If ambient temperature


is higher, the longest storage life varies as specified in below chart.


Storage Temperature ($^{\circ}$ C)	≤25	26~33	34~40
Storage Time (Month)	6	3	1

• Batteries should be recharged within the storage life or before using. Charging methods: maximum charging current 70.5A, constant voltage 2.45±0.05V/cell (25°C); Charging time: 15~20h; Temperature compensation coefficient: -5mV/°C/cell.









Add: No.172, Checheng Road, Wuhan Economic & Technology Development Zone, Wuhan, China, 430056. Tel: (86)27-8489 1318 Fax: (86)27-8489 1924 E-mail: sales@cgbbattery.com