

-KEY FEATURES-



Excellent Cells Efficiency

MBB technology reduce the distance between busbars and finger grid line which is benefit to power increase.



Anti PID

Ensured PID resistance through the quality control of cell manufacturing process and raw materials.



TIER 1

Global, Tier 1 bankable brand, with independently certified advanced automated manufacturing.



Bifacial Technology

Up to 25% additional power gain from back side depending on albedo.



Better Weak Illumination Response

More power output in weak light condition, such as haze, cloudy, and early morning.



Adapt To Harsh Outdoor Environment

Resistant to harsh environments such as salt, ammonia, sand, high temperature and high humidity environment.



Excellent Quality Managerment System


Warranted reliability and stringent quality assurances well beyond certified requirements.


Founded in 1988, ZNShine solar is a world's leading high-tech PV module manufacturer. With the advanced production lines, the company boasts module capacity of 10 GW. Bloomberg has listed ZNShine as a global Tier 1 PV module maker. Today Znshine has distributed its sales to more than 60 countries around the globe.

 35 ± 1




DIMENSIONS OF PV MODULE(mm)






I-V CURVES OF PV MODULE(590W)



P-V CURVES OF PV MODULE(590W)



Front Side Maximum Static Loading Up to 5400Pa

Up to 2400Pa

Rear Side Maximum Static Loading

ELECTRICAL CHARACTERISTICS | STC*

Nominal Power Watt Pmax(W)*	585	590	595	600	605	610
Maximum Power Voltage Vmp(V)	33.90	34.10	34.30	34.50	34.70	34.90
Maximum Power Current Imp(A)	17.26	17.31	17.35	17.40	17.44	17.48
Open Circuit Voltage Voc(V)	40.90	41.10	41.30	41.50	41.70	41.90
Short Circuit Current Isc(A)	18.21	18.25	18.29	18.33	18.37	18.41
Module Efficiency (%)	20.67	20.85	21.02	21.20	21.38	21.55

*The data above is for reference only and the actual data is in accordance with the pratical testing

*STC (Standard Test Condition): Irradiance 1000W/m², Module Temperature 25±2°C, AM 1.5

*Measuring uncertainity: ±3%, all the electrical characteristics such as Power. Im. Vm and FE are within ±3% tolerance

ELECTRICAL CHARACTERISTICS | NMOT*

Maximum Power Pmax(Wp)	439.70	443.60	447.20	451.10	454.80	458.40
Maximum Power Voltage Vmpp(V)	31.80	32.00	32.20	32.40	32.50	32.70
Maximum Power Current Impp(A)	13.83	13.87	13.90	13.94	13.98	14.01
Open Circuit Voltage Voc(V)	38.40	38.60	38.80	39.00	39.20	39.30
Short Circuit Current Isc(A)	14.70	14.73	14.76	14.80	14.83	14.86

*NMOT:Irradiance 800W/m²,Ambient Temperature 20°C,AM 1.5,Wind Speed 1m/s **ELECTRICAL CHARACTERISTICS WITH 25% REAR SIDE POWER GAIN***

585 590 595 600	605 610
731 738 744 750	756 763
34.00 34.20 34.40 34.6	0 34.80 35.00
21.51 21.56 21.62 21.6	8 21.73 21.79
41.00 41.20 41.40 41.6	0 40.80 42.00
22.69 22.74 22.79 22.8	3 22.89 22.94
34.00 34.20 34.40 34.6 21.51 21.56 21.62 21.6 41.00 41.20 41.40 41.6	0 34.80 35.00 8 21.73 21.79 0 40.80 42.00

MECHANICAL DATA

Solar cells	Mono PERC			
Cells orientation	120 (6×20)			
Module dimension	2172×1303×35 mm (With Frame)			
Weight	35±1 kg			
Glass	2.0 mm+2.0mm, High Transmission, AR Coated Heat Strengthened Glass			
Junction box	IP 68, 3 diodes			
Cables	4 mm² ,350 mm (With Connectors)			
Connectors*	MC4-compatible			
*Please refer to regional dat	asheet for specifi	ed connector		
TEMPERATURE RA	TINGS		WORKING CONDITIONS	
ΝΜΟΤ		43℃ ±2℃	Maximum system voltage	1500 V DC
Temperature coeffici	ent of Pmax	-0.34%/°C	Operating temperature	-40°C~+85°C
Temperature coeffici	ent of Voc	-0.29%/°C	Maximum series fuse	35 A

*Remark:Do not connect Fuse in Combiner Box with two or more strings in parallel connection

PACKAGING CONFIGURATION*

Temperature coefficient of Isc

Refer.Bifacial Factor

Piece/Box	31
Piece/Container(40'HQ)	558

*Customized packaging is available upon request

*Remark:Electrical data in this catalog do not refer to a single module and they are not part of the offer

They only serve for comparison among different module types

*Caution:Please be kindly advised that PV modules should be handled and installed by qualified people who have professional skills and please carefully read the safety and installation instructions before using our PV modules.

0.05%/°C

70±10%

*Bifacial Gain: The additional gain from the back side compared to the power of the front side at the standard test condition. It depends on mounting (structure, height, tilt angle etc.) and albedo of the ground.

🖗 Add : 1#, Zhixi Industrial Zone, JintanJiangsu 213251, P.R. China 🔍 Tel: +86 519 6822 0233 🖂 E-mail: info@znshinesolar.com

Note: Specifications included in this datasheet are subject to change without notice.ZNSHINE reserves the right of final interpretation © ZNSHINE SOLAR 2022 | Version: ZXM8-TPLDD120 2208.E No special undertaking or warranty for the suitability of special purpose or being installed in extraordinary surroundings is granted unless as otherwise specifically committed by manufacturer in contract document