



# ORISun N-Type OSN8SH6016H TOPCon High-Efficiency Single Glass Solar Module With MBB Technology



# Intelligent Manufacturing, High-Performance N-type Solar cell

Industry-leading intelligent and efficient production lines, with the highest quality standards in the industry. Ensuring the most cost-effective production.



#### **Higher Yield**

High power, low temperature coefficient, high bifaciality ensuring the product can generate more energy benefits even in cloudy or hot weather with the same area.



#### **Extremely Durable**

Thanks to the optimal material matching and interconnection encapsulation technology, the product has outstanding module weather resistance performances. The overall module has passed the certification of 2400Pa wind load and 5400Pa snow load, while minimizing the degradation caused by PID.



#### **Guaranteed Reliability**

Industry leading 30 year product and performance linear warranty. Adopting the most advanced N-type mass production technology to ensure low LID and LETID degradation.



#### **Extremely Elegant**

Simple and elegant industrial design, suitable for various application scenarios.




480-500Watt Higher Energy Output


### **Mechanical Structure Specifications**

Dimensions	1903 x 1134 x 35 mm / 74.9 x 44.7 x 1.4 in
Weight	24.5 kg / 54.01 lbs
Front Material	Tempered high transparency photovoltaic glass, 3.2 mm / 0.126 in, anti reflective film, Embossing
Back Material	Polymer composite backsheet
Frame	Anodized aluminum alloy
Cell Type	120 Half piece, N-type monocrystalline silicon bifacial TOPCon solar cells
Junction Box	Protection grade IP68
Cable	Wireway: 4 mm²/TÜV, Length (+):300 mm/11.81 in & (-):200 mm

# **Packaging and Transportation**



Transport by container or truck. For truck freight, each pallet has a loading capacity of 17.5 meters and a height of 3.5-4.5 meters.





## Module Electrical Performance Specifications<sup>1</sup>

Module model	Efficiency	Power*	Short-circuit current	Open circuit current	Optimal operating current	Optimum operating voltage
	η	Pmax	Isc	Voc	Impp	Vmpp
	[%]	[W]	[A]	[V]	[A]	[V]
	STC <sup>2</sup>	NOCT <sup>3</sup> STC	NOCT STC	NOCT STC	NOCT STC	NOCT STC
480	21.93	324 <b>430</b>	11.16 <b>14.09</b>	40.53 <b>42.66</b>	10.72 <b>13.37</b>	33.69 <b>35.91</b>
485	22.16	328 <b>435</b>	11.18 <b>14.12</b>	40.75 <b>42.89</b>	10.74 <b>13.39</b>	34.07 <b>36.22</b>
490	22.39	331 <b>440</b>	11.22 14.16	40.95 <b>43.11</b>	10.80 <b>13.47</b>	34.16 <b>36.38</b>
495	22.62	335 <b>445</b>	11.26 <b>14.21</b>	41.18 <b>43.35</b>	10.84 <b>13.52</b>	34.41 <b>36.60</b>
500	22.85	339 <b>450</b>	11.29 <b>14.23</b>	41.42 <b>43.60</b>	10.87 <b>13.56</b>	34.70 <b>36.88</b>

<sup>\* (</sup>Power tolerance 0 W / +5 W for STC)

#### **I-V Curve Under Different Illuminances**





# **System Related Technical Parameters**

Maximum system voltage	[V]	1500
Maximum rated fuse current	[A]	25
Security level		II
Fire rating(UI61730)		А
Operating temperature range	[°C]	-40 to +85

#### **Related Certifications**

IEC IEC 61215:2016, IEC 61730:2016, UL 61730-1, UL 61730-2, PID (IEC 62804), Salt Mist (IEC 61701)


Note: All data and specifications are preliminary and may change without notice. For installation and operation instructions, please refer to the installation guide.

# **Temperature Coefficient**

Isc TEMP coefficient	а	[%/K]	+0.045
Voc TEMP coefficient	β	[%/K]	-0.25
Pmpp TEMP coefficient	γ	[%/K]	-0.29
Nominal operating TEMP	NOCT	[°C]	45±2

The temperature coefficient described is a linear value.

### **Industry Leading Linear Quality Assurance**



# Passed Multiple IEC Standards With 3x Reliability And **Weather Resistance Testing Procedures**



 $^{\text{\tiny{1}}}$  Power test according to IEC 60904-3, test tolerance: 0~+3%

 $^{\rm s}$  NMOT: nominal component operating temperature, light intensity 800 W/m  $^{\rm 2}$  , AM1.5G spectral conditions, ambient temperature 20  $^{\rm o}$  C

 $<sup>^{\</sup>rm 2}$  STC condition: Light intensity 1000 W/m  $^{\rm 2}$  , Component temperature 25  $^{\rm o}$  C, AM1.5G spectral conditions