

# Q.PEAK DUO XL-G10.d 475-495

ENDURING HIGH PERFORMANCE





CELLS



## BREAKING THE 21% EFFICIENCY BARRIER

Q.ANTUM DUO Z Technology with zero gap cell layout boosts module efficiency up to 21.6%.



Higher yield per surface area, lower BOS costs and up to 80 watts more module power than standard 144 half-cell modules.



### ENDURING HIGH PERFORMANCE

Long-term yield security with Anti LID Technology, Anti PID Technology¹, Hot-Spot Protect and Traceable Quality Tra.Q™.



## EXTREME WEATHER RATING

High-tech aluminum alloy frame, certified for high snow (5400 Pa) and wind loads (3000 Pa).



## A RELIABLE INVESTMENT

Inclusive 12-year product warranty and 25-year linear performance warranty<sup>2</sup>.



#### STATE OF THE ART MODULE TECHNOLOGY

Q.ANTUM DUO combines cutting edge cell separation and innovative wiring with Q.ANTUM Technology.

 $^1$  APT test conditions according to IEC /TS 62804-1:2015, method A (–1500 V, 96 h)  $^2$  See data sheet on rear for further information.








## **MECHANICAL SPECIFICATION**

Format	87.2 in × 41.1 in × 1.38 in (including frame) (2216 mm × 1045 mm × 35 mm)
Weight	57.3 lbs (26.0 kg)
Front Cover	0.13 in (3.2 mm) thermally pre-stressed glass with anti-reflection technology
Back Cover	Composite film
Frame	Anodized aluminum
Cell	6 × 26 monocrystalline Q.ANTUM solar half cells
Junction Box	2.09-3.98 in × 1.26-2.36 in × 0.59-0.71 in (53-101 mm × 32-60 mm × 15-18 mm), IP67, with bypass diodes
Cable	4 mm² Solar cable; (+) ≥27.6 in (700 mm), (-) ≥13.8 in (350 mm)*
Connector	Stäubli MC4, Stäubli MC4-Evo2, Hanwha Q CELLS HQC4, IP68
	*Long cables (+)≥57.1 in (1450 mm), (–)≥57.1 in (1450 mm) for landscape installation are available upon request.




# **ELECTRICAL CHARACTERISTICS**

POV	VER CLASS			475	480	485	490	495
MIN	IIMUM PERFORMANCE AT STANDARD	TEST CONDITIO	NS, STC <sup>1</sup> (PC	WER TOLERANCE +	5W/-0W)			
Minimum	Power at MPP <sup>1</sup>	P <sub>MPP</sub>	[W]	475	480	485	490	495
	Short Circuit Current <sup>1</sup>	I <sub>sc</sub>	[A]	11.24	11.26	11.29	11.31	11.34
	Open Circuit Voltage <sup>1</sup>	V <sub>oc</sub>	[V]	53.58	53.61	53.64	53.68	53.71
	Current at MPP	I <sub>MPP</sub>	[A]	10.66	10.71	10.76	10.81	10.86
	Voltage at MPP	V <sub>MPP</sub>	[V]	44.54	44.81	45.07	45.33	45.59
	Efficiency1	η	[%]	≥20.5	≥20.7	≥20.9	≥21.2	≥21.4
MIN	IMUM PERFORMANCE AT NORMAL O	PERATING CONI	DITIONS, NM	OT <sup>2</sup>				
Minimum	Power at MPP	P <sub>MPP</sub>	[W]	356.4	360.1	363.9	367.6	371.4
	Short Circuit Current	I <sub>sc</sub>	[A]	9.05	9.07	9.09	9.12	9.14
	Open Circuit Voltage	V <sub>oc</sub>	[V]	50.53	50.56	50.59	50.62	50.65
	Current at MPP	I <sub>MPP</sub>	[A]	8.39	8.43	8.47	8.52	8.56
	Voltage at MPP	V	[V]	42.49	42.72	42.94	43.17	43.39


<sup>1</sup>Measurement tolerances P<sub>MPP</sub> ± 3%; I<sub>SC</sub>; V<sub>oc</sub> ± 5% at STC: 1000 W/m<sup>2</sup>, 25 ± 2°C, AM 1.5 according to IEC 60904-3 • <sup>2</sup>800 W/m<sup>2</sup>, NMOT, spectrum AM 1.5

#### Q CELLS PERFORMANCE WARRANTY



At least 98% of nominal power during first year. Thereafter max. 0.5% degradation per year. At least 93.5% of nominal power up to 10 years. At least 86% of nominal power up to 25 years.

All data within measurement tolerances. Full warranties in accordance with the warranty terms of the Q CELLS sales organisation of your respective country.



PERFORMANCE AT LOW IRRADIANCE

Typical module performance under low irradiance conditions in comparison to STC conditions (25 °C, 1000 W/m²)

#### **TEMPERATURE COEFFICIENTS**

Temperature Coefficient of I <sub>sc</sub>	α	[%/K]	+0.04	Temperature Coefficient of Voc	β	[%/K]	-0.27
Temperature Coefficient of P <sub>MPP</sub>	Ŷ	[%/K]	-0.34	Nominal Module Operating Temperature	NMOT	[°F]	109±5.4 (43±3°C)

#### **PROPERTIES FOR SYSTEM DESIGN**

Maximum System Voltage V <sub>SYS</sub> [V]		1500 (IEC)/1500 (UL)	PV module classification	Class II	
Maximum Series Fuse Rating	[A DC]	20	Fire Rating based on ANSI / UL 61730	TYPE 1	
Max. Design Load, Push/Pull <sup>3</sup>	[lbs/ft <sup>2</sup> ]	75 (3600 Pa)/42 (2000 Pa)	Permitted Module Temperature	-40°F up to +185°F	
Max. Test Load, Push / Pull <sup>3</sup> [lbs/ft <sup>2</sup> ]		113 (5400 Pa)/63 (3000 Pa)	on Continuous Duty	(–40°C up to +85°C)	
3Cee Installation Manual					

<sup>3</sup>See Installation Manual

## **QUALIFICATIONS AND CERTIFICATES**

UL 61730, CE-compliant, IEC 61215:2016, IEC 61730:2016 U.S. Patent No. 9,893,215 (solar cells); Certification in process.





#### **PACKAGING INFORMATION**



Note: Installation instructions must be followed. See the installation and operating manual or contact our technical service department for further information on approved installation and use of this product.

#### Hanwha Q CELLS America Inc.

400 Spectrum Center Drive, Suite 1400, Irvine, CA 92618, USA | TEL +1 949 748 59 96 | EMAIL inquiry@us.q-cells.com | WEB www.q-cells.us