


DELIVERY SOLELY WITH POSITIVE  
POWER OUTPUT TOLERANCE!

## BAUER BS 5M2

185 W - 195 W



### Monocrystalline solar module



#### Dimensions

Length	1590 mm
Width	808 mm
Height	42 mm
Weight	15,5 kg

#### Performance data

- positive power output tolerance +3/-0 %
- min. 90% output over a 10-year period
- min. 80% output over a 25-year period
- 10 years product guarantee

### Test parameters (excerpt)

- Simulation of temperature cycles (200 cycles ranging from -40°C to +85°C)
- Vapour heat test in the climatic chamber (1.000 hours at 85°C and 85% relative humidity)
- Front and back panel load test (simulated wind load of 5.400 Pa, equivalent to 5.400 N/m<sup>2</sup> or 550 kg/m<sup>2</sup>)
- Simulated impact of hailstones (25 mm in diameter at 23 m/s from a distance of one meter)

### Technical specifications

Frame	Silver, torsionally rigid, aluminium alloy mounting frame
Cells	72 monocrystalline cells (125 mm x 125 mm) connected in series
Connectors	Double insulated, UV-resistant 4 mm <sup>2</sup> cable with weatherproof solar plugs
Diodes	3 bypass diodes protecting the module when in shade
Assembly	Front: highly translucent, toughened glass Back: white TPT film, embedding material: EVA

Electrical characteristics	BS-185-5M2	BS-190-5M2	BS-195-5M2
Nominal power P (Wp)	185	190	195
Voltage at Pmax Vmp (V)	36,97	37,22	37,63
Current at Pmax Imp (A)	5,01	5,11	5,19
Short-circuit current Isc (A)	5,43	5,51	5,59
Open-circuit voltage Voc (V)	44,32	44,66	45,03
Efficiency (η)	14,4%	14,8%	15,2%
Max. system voltage V (V)	1.000		
Temperature coefficient of Isc	+0,027 %/K		
Temperature coefficient of Voc	-0,337 %/K		
Test condition (STC)	1.000 W/m <sup>2</sup> , 25°C, AM 1,5		
NOCT	48°C ± 2°C		

### Qualifications and certificates

- IEC 61215
- IEC 61730-1, -2: 2004  
EN 61730-1, -2: 2007



**BAUER**  
**Solartechnik GmbH**

Hinter der Mühl 2  
55278 Selzen | Germany

Tel. +49 (0) 6737 - 80 81-0  
Fax +49 (0) 6737 - 80 81-10

info@bauer-solartechnik.de  
www.bauer-solartechnik.de

## BAUER BS 5M2



Monocrystalline module (detail view)

