

### Terrace Mounting system A

The Terrace PV Quadruped mounting system has been developed as a universal PV modules mounting system for open space ground installations. The Quadruped mounting systems are very high quality products designed to save you time and money on site. The system composed with Ø60mm galvanized and paint steel pipe and the innovative and anodized aluminum base rails, the special Z-NUT modules and the high degree of pre-assembly eliminate the need for onsite cutting, welding and enables quick and easy field PV module installations.



#### Grate flexibility

The PV Quadruped mounting system is a highly versatile ground mounted solution that can be used in almost all kinds of situations, from residential and large commercial, right through to utility scale. The innovative patented rails and special Z-NUT modules have greatly Simplified the installation of PV modules. The System can be installed with a single Hexagon Key and standard tool kit. The Solar system is aided by a very high level of preassembly. The special Z-NUT module and unque rail extension method allow greatly reduced installation times.

#### Excellent compatibility

Patented rail, Z module and unique adjustable cap eliminatethe need for onsite cutting, making the PV installation timeand cost efficient. Designed as a universal mounting system, PV PostMount is compatible with all of the major framed PV modules on the market

#### High quality

Strict quality control over materials and finished products ensure optimum strength and long life for your installation. The angle of the rails has been designed to maximum the harveast of solar power according to your local latitude.

#### Excellent Adaptability

The angle of the rails has been designed to maximum the harveast of solar power according to your local latitude.

#### 10-Year Warranty

Guaranteed Durability: All components are made of quality extruded aluminum and stainless steel. The high corrosion resistance guarantees the maximum possible lifespan and is also completely recyclable. It provides a 10 year product warranty for your peace of mind.

### Features

- Installation Site: Open field and Flat roof
- Installation Angle: <60°
- Building Height: <20m
- Wind Load: <60m/s (<216km/h)
- Snow Load: <1.4KN/m2
- Module Orientation: Horizontal
- Module compatibility: Universal
- Material: Aluminum Alloy, Stainless Steel, Galvanized Steel Pipe