


02.

GPG Series General Gel Battery

Applied Scope



Product Characteristic

- High Quality Fumed silica gel preparation, uniform distribution of electrolyte, acid stratification does not exist.
- Electrolyte gel was fixed state, no flow, no leakage, so that all parts of the plate uniform reaction
- A tight assembly technology with excellent high efficiency discharge performance.
- Excess electrolyte, battery has big heat capacity, strong heat dissipation ability , wide operating temperature range.
- All with high purity raw materials, battery self-discharge is minimal.
- Using gas compounds technology, the battery has a high sealing reaction efficiency, no mist precipitation, safety and environmental protection, pollution-free.
- With special design and high reliable sealing technology to ensure the battery sealing, safe, and reliable.



Science and technology innovation,
quality and safety



Technical Specification

Model	Nominal Voltage (V)	Capacity (Ah)	Dimension (mm/Kg[(±5%)])					Terminal	Layout
			Length	Width	Height	Total Height	Weight		
GPG24-12	12	24/10HR	166	126	174	174	8.10	T2	B
GPG26-12	12	26/10HR	165	176	125	125	8.20	T2	B
GPG33-12	12	33/10HR	196	131	155	167	10.5	T2	A
GPG38-12	12	38/10HR	198	166	174	174	12.5	T2	B
GPG42-12	12	42/10HR	198	166	174	174	13.0	T2	B
GPG50-12	12	50/10HR	229	138	208	212	17.0	T3	A
GPG55-12	12	55/10HR	229	138	208	212	18.2	T3	A
GPG65-12	12	65/10HR	351	167	176	176	20.5	T3	B
GPG70-12	12	70/10HR	260	169	211	215	22.5	T3	A
GPG80-12	12	80/20HR	260	169	211	215	24.5	T3	A
GPG90-12	12	90/10HR	307	169	211	215	27.3	T3	A
GPG100-12	12	100/10HR	331	174	214	219	30.0	T4	B
GPG120-12	12	120/10HR	407	174	210	233	34.0	T5	A
GPG150-12	12	150/20HR	484	171	241	241	44.0	T4	A
GPG160-12	12	160/10HR	532	206	216	221	49.0	T4	C
GPG180-12	12	180/10HR	532	206	219	221	52.0	T4	C
GPG200-12	12	200/10HR	522	242	219	224	60.0	T5	C
GPG220-12	12	220/10HR	522	242	219	224	62.5	T5	C
GPG250-12	12	250/10HR	521	269	220	224	70.0	T5	C

● Remarks: Products specifications are subject to change without notice.