


>> Carport- VI Type

- Safe, practical and nice-looking. The reasonable design prevents the car door from bumping when opening or closing.



Front column-free design Back-to-back type

Specification


Materials	Main Frame and Fitting Clamps: Aluminum alloy A6005-T5- Anodized Bolts and Nuts: Stainless Steel SUS304
Roofing	PV Module/ Sheet Metal
Waterproofing	Sheet Metal/Drainage Rail
Span	≤ 5600mm
Ground Clearance	2500mm
Color	Silver
Wind	≤ 50m/s
Snow	≤ 150 cm
Tilt Angle	≤ 30 degrees

- 1. Gutters, decorative frames, and PCS mounting materials are optional items.
- 2. Products can be customized to suit the installation environment.

We can also adjust the angle, custom color coating, pole position, and length of the pole. Please contact us for details.

>> Carport- VV Type

- Solid concrete base, Water proof, Easy to install.



Pre-installed main material set,
easy to install on site



Specification

Materials	Main Frame and Fitting Clamps: Aluminum alloy A6005-T5- Anodized Bolts and Nuts: Stainless Steel SUS304
Roofing	PV Module/ Sheet Metal
Waterproofing	Sheet Metal/Drainage Rail
Span	≤ 5600mm
Ground Clearance	2500mm
Color	Silver
Wind	≤ 50m/s
Snow	≤ 150 cm
Tilt Angle	≤ 30 degrees



- 1. Gutters, decorative frames, and PCS mounting materials are optional items.
- 2. Products can be customized to suit the installation environment.

We can also adjust the angle, custom color coating, pole position, and length of the pole. Please contact us for details.

>> Design Drawing




>> Design Drawing



>> Carport-YY Type

- Effective use of limited space, both parking and power generation, on the basis of the usual specifications and prevention from water leakage.



Specification

Materials	Main Frame and Fitting Clamps: Aluminum alloy A6005-T5- Anodized Bolts and Nuts: Stainless Steel SUS304
Roofing	PV Module/ Sheet Metal
Waterproofing	Sheet Metal/Drainage Rail
Span	≤ 5600mm
Ground Clearance	2500mm
Color	Silver
Wind	≤ 50m/s
Snow	≤ 150 cm
Tilt Angle	≤ 30 degrees





Simple 4-posts for easy parking and getting in and out of the car.

- 1. Gutters, decorative frames, and PCS mounting materials are optional items.
- 2. Products can be customized to suit the installation environment.


We can also adjust the angle, custom color coating, pole position, and length of the pole. Please contact us for details.

>> Design Drawing



>> Carport-II Type

- Aluminum alloy is adopted, which has strong rust resistance, and the film thickness is more than 10μm for anodic oxidation to achieve high corrosion resistance.



Specification

Materials	Main Frame and Fitting Clamps: Aluminum alloy A6005-T5- Anodized Bolts and Nuts: Stainless Steel SUS304
Roofing	PV Module/ Sheet Metal
Waterproofing	Sheet Metal/Drainage Rail
Span	≤ 5600mm
Ground Clearance	2500mm
Color	Silver
Wind	≤ 50m/s
Snow	≤ 150 cm
Tilt Angle	≤ 30 degrees





Panel backstopping method eliminates the need for scaffolding and ensures safe construction

- 1. Gutters, decorative frames, and PCS mounting materials are optional items.
- 2. Products can be customized to suit the installation environment.

We can also adjust the angle, custom color coating, pole position, and length of the pole. Please contact us for details.

>> Design Drawing



>> Carport- T Type

- The pillars are concentrated at the back, which will not be an obstacle and will go up and down smoothly. It can deal with a variety of vehicles.



Easy to open and close doors.



Specification

Materials	Main Frame and Fitting Clamps: Aluminum alloy A6005-T5- Anodized Bolts and Nuts: Stainless Steel SUS304
Roofing	PV Module/ Sheet Metal
Waterproofing	Sheet Metal/Drainage Rail
Span	≤ 5600mm
Ground Clearance	2500mm
Color	Silver
Wind	≤ 50m/s
Snow	≤ 150 cm
Tilt Angle	≤ 30 degrees

- 1.Gutters, decorative frames, and PCS mounting materials are optional items.
- 2.Products can be tailor-made and customized to suit the installation environment.

We can also adjust the angle, custom color coating, pole position, and length of the pole. Please contact us for details.

>> Design Drawing




>> Solar Carport

Waterproof Countermeasures

- Drainage Rail**
Drainage rails between panels can drain rainwater away to protect cars and people under it.




- Sheet Metal Roof**
Regardless of the module layout, the sheet metal roof can be flexibly set. By adopting the sheet metal roof, the durability is greatly improved.



Please contact us for details of options.



Drainage Rail Components



PCS Installation Material



Decorative Frame